# Liquid vitamin premix
# A+Se



Liquid vitamin premix A+Se is a well-balanced liquid combination of vitamins and amino-acids with selenium designed to improve metabolism, formulation of muscle structure, maintains overall body tension, helps to smooth stress situation (especially while vaccination, transporting, change of ration). Liquid vitamin premix A+Se is indicated for the prevention of hypovitaminosis and amino-acid deficiencies especially in high performing animals.

## Activity per 1 L

| | |
|---|---|
| Vitamin A | 20 000 000 IU |
| Vitamin $D_3$ | 1 000 000 IU |
| Vitamin E | 6 000 mg |
| Vitamin $K_3$ | 2 000 mg |
| Vitamin $B_1$ | 1 250 mg |
| Vitamin $B_2$ | 2 500 mg |
| Vitamin $B_6$ | 1 750 mg |
| Vitamin $B_{12}$ | 7,5 mg |
| Folic acid | 400 mg |
| D-panthenol | 5 600 mg |
| Resp. KA | 6 500 mg |
| D- pantothenate Nicotinamide | 18 000 mg |
| Selenium | 33 mg |
| L-Tryptophan | 600 mg |
| L- Lysine | 4000 mg |
| DL- Methionine | 4 000 mg |
| L – Threonine | 2 000 mg |
| Glutamic acid | 6 000 mg |

## Animal categories:

Cattle Horses Poultry Pig

## Recommended dosage:

| | |
|---|---|
| Poultry | 500-2000 ml/1000 liters of drinking water |
| Cattle, horses | 25-40 ml/animal/day |
| Calves, foals, pigs | 15-30 ml/animal/day |
| Fattening pigs, goats, sheep | 10-25 ml/animal/day |

*The dosage within the recommended range depends on the age group of the animals.*

## Recommended usage:

Over the period of 3 days, repeat if necessary. Before usage, shake it properly. For poultry dissolve at least 100 ml not less than in 10 liters of water. Bring to the required volume with drinking water. Do not use in pure form. Opened package use immediately.

## Release form:

Liquid.

## Storage:

Keep in cool and dark place (max. 25°C). Protect from direct sunlight.

## Shelf life:

18 months.

## Type of package:

Plastic bottles per 1 liter, 5 liters, 25 liters and IBC tank.

## Special precautions for handling of unused product and its residual:

According to national regulation.